

NOTES:

- 1. TREE PROTECTION FENCING MUST BE INSTALLED AT A MINIMUM RADIUS OF THE CRITICAL ROOT ZONE (SEE DETAIL PLT_6.01 FOR EXAMPLES)
- 2. THE TREE PROTECTION FENCING MUST REMAIN IN PLACE FOR THE DURATION OF THE PROJECT UNLESS OTHERWISE APPROVED BY URBAN FORESTRY STAFF.
- 3. APPROVED IMPACT PROTECTION DEVICES MUST BE REMOVED AFTER CONSTRUCTION WHEN APPLICABLE.
- 4. SIGNS SHALL BE PLACED AT 50' MAXIMUM INTERVALS. PLACE A SIGN AT EACH END OF LINEAR TREE PROTECTION AND 50' ON CENTER FOR THE REMAINDER
- 5. FOR TREE PROTECTION AREAS LESS THAN 200' IN PERIMETER, PROVIDE NO LESS THAN ONE SIGN PER PROTECTED AREA.
- 6. ATTACH SIGNS SECURELY TO FENCE POSTS AND FABRIC.
- 7. ADDITIONAL SIGNS MAY BE REQUIRED BY TOWN OF INDIAN TRAIL BASED ON ACTUAL FIELD CONDITIONS.
- 8. SIGNS ARE TO BE MADE OF DURABLE, WEATHERPROOF MATERIAL WITH LETTERS A MINIMUM OF 3" HIGH, CLEARLY LEGIBLE AND SPACED AS SHOWN.
- 9. FLOW SHALL NOT RUN PARALLEL WITH THE FENCE. END OF SILT FENCE NEEDS TO BE TURNED UPHILL.
- 10. SEE NC STATE DEQ PRACTICE STANDARDS % SPECIFICATIONS SEDIMENT FENCE SET FOR CONDITIONS WHERE APPLIES; PLANNING CONSIDERATIONS & DESIGN CRITERIA. (HOWEVER, FLOW SHALL NOT RUN PARALLEL WITH THE TOE OF THE FENCE.)





STANDARD TEMPORARY (SILT FENCE) W/
TREE PROTECTION FENCE